EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S17 3	33	(higher top) near5 (log) same (lower intermediate) near5 (log) and network near4 (device node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 14:23
S16 6	447	(predefined prescribed) near4 (error event fault) near5 (log list record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 14:21
S17 2	75	hierarch$5 near4 event near5 (log list record) and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 13:35
S17 1	67	(predefined prescribed) near4 (error event fault) near5 (log list record) and hierarchi$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 13:34
S17 0	0	(predefined prescribed) near4 (error event fault) near5 (log list record) same classify$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 12:35
S16 9	10	root near3 cause and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 12:27
S16 8	0	root same cause same S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 12:27

S16 7	0	(combin$5 aggregat$5) near4 root same cause and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/29 12:26
S16 5	18	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:25
S16 4	6	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log) and (script$5 command) same (respond$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:25
S16 3	3	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 12:23
S16 2	0	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and 717/127,176.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:13
S16 1	0	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and 379/9.04,9.03.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:13
S16 0	0	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and 726/22,23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:12

S15 9	0	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and 370/216,217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:12
S15 8	1	(network) and (hierarchi$9) near4 (event alarm fault error status) near6 (log)and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:11
S21	5	(network near3 device) and (tree) near4 (status error fault)near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:07
S15 6	1320	719/320,311,318.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
S15 5	192	higher same lower same (event alarm failure) same network and (trigger$5 execut$5) near8 (command rule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 11:06
S15 4	2056	higher same lower same (event alarm failure) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:57
S15 2	211	higher same lower same log same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:56
S15 3	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/27 09:45

S15 1	5593	higher same lower same log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:40
S15 0	11	plexi same log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:38
S14 9	6	plexi same EDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:34
S14 8	6	plexi same EDI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:34
S68	4	plexi near3 EDI near3 toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:34
S14 7	2	"5872931".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:25
S14 3	2	"5367609".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:24

S14 6	19	generat$5 near7 (further coars$6 higher) near5 log same (lower initial fine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:14
S14 5	2	10/101083	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 09:13
S14 4	2	09/832619	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 08:57
S14 2	2	09/832734	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/27 08:53
S14 1	2	09/832734	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/27 08:50
S67	4	plexi near3 EDI near3 toolkit	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/27 08:50
S14 0	1	09/999707	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:30
S13 9	2	"6353614".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:30

EAST Search History

S13 8	2	"6430276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:29
S13 6	2	"5463768".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:55
S13 7	2	"6816576".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 07:45
S13 5	2	"5944782".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 07:44
S13 4	2	(network) near5 (error event fault status alarm) near5 (log) same (primary secondary) adj (log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 07:21
S12 9	256	(network) near5 (error event fault status alarm) near5 (log) and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 07:20
S13 3	6	("3818458" | "4855997" | "6108782" | "6317701" | "6421676" | "6470388"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 07:12
S13 2	2	"7027800".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:54
S10 5	2	"5872931".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:54

S13 1	21	(network) near5 (error event fault status alarm) near5 (log) and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:33
S12 4	0	(network) near5 (error event fault status alarm) near5 (log) same S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:33
S13 0	4	(network) near5 (error event fault status alarm) near5 (log) and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:32
S12 8	0	(network) near5 (error event fault status alarm) near5 (log) same S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:32
S12 6	0	(network) near5 (error event fault status alarm) near5 (log) same S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:32
S12 7	49390	"709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:31
S12 3	1680	714/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:31
S12 5	101	379/9.04,9.03.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:30
S10 2	0	(network) near5 (error event fault status alarm) near5 (log) same (correctiv$5 remed$5) near4 (routine algorithm script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:30

EAST Search History

S12 2	34	(network) with (error event fault alarm status) near5 (correct$5) with ((shell) routine script (command adj function adj utilities))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:29
S12 0	2013	(error event fault alarm status) near5 (correct$5) with ((shell) routine script (command adj function adj utilities))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:20
S12 1	15	(error event fault alarm status) near5 (correct$5) with ((shell) routine script (command adj function adj utilities)) same (hierarchi$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:14
S11 9	4512	(error event fault alarm status) near5 (correct$5) same ((shell) routine script (command adj function adj utilities))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:13
S11 6	1	(error event fault alarm status) near5 (log) and (command adj function adj utilities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:11
S11 5	1	(network) near5 (error event fault alarm status) near5 (log) and (command adj function adj utilities)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:10
S10 9	4	(network) near5 (error event fault alarm status) near5 (log) and (higher adj level adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:10
S11 4	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 14:08
S11 3	11	(lower) near5 (level) near5 (log) and (higher adj level adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:08

S11 2	4	(network) near5 (level) near5 (log) and (higher adj level adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:08
S11 1	9	(network) near5 (error event fault alarm status) near5 (log) and (hierarch$6 level) adj (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:04
S11 0	4	(network) near5 (error event fault alarm status) near5 (log) and (lower adj level adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:04
S10 8	1050	(plexis)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 14:02
S10 7	5	("20020059280" | "6117187" | "6324691" | "6378127" | "6606744"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 13:42
S10 6	7	(network) near5 (error event fault status alarm) near5 (log) same (execut$5) near4 (routine algorithm script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 13:40
S10 4	62	(error event fault status alarm) near5 (log) and (correctiv$5 remed$5) near4 (routine algorithm script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 13:33
S10 3	4	(error event fault status alarm) near5 (log) same (correctiv$5 remed$5) near4 (routine algorithm script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 13:01
S97	18	(network) near5 (error event fault) near5 (log list record) same (monitor$5 controlling) same script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:59
S10 1	2	"5621663".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:58

S10 0	2	"5204955".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:58
S99	1	"5204955".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 12:57
S98	4	("20020163427" | "20020176404" | "20020178396" | "20030128991").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 12:57
S96	3	(network) near5 (error event fault) near5 (log list record) and corrective near5 script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:19
S95	0	(level hierarch$5) near5 (network) near5 (error event fault) near5 (log list record) and corrective near5 script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:18
S62	64	(level hierarch$5) near5 (network) near5 (error event fault) near5 (log list record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:17
S94	1	corrective near5 script same (error status fault event alarm) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:15
S93	0	corrective near5 script same (consolidat$5 generaliz$5) same (error status fault event alarm) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:15
S92	1	shell near5 script same (consolidat$5 generaliz$5) same (error status fault event alarm) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:15
S91	23	shell same script same network same administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:12

S86	2	"5944782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 11:05
S90	148	(group$5) near4 (error event fault alarm status) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:58
S89	68	(group$5) same (common similar$5) same (error event fault alarm status) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:58
S85	80	(group$5) same (common similar$5) same (cause source error event fault alarm status) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:57
S88	5	("6195697" | "6226679" | "6339731" | "6349333" | "6363421").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 09:43
S87	1	(categoriz$5$5) same (common similar$5) same (cause source error event fault alarm status) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:36
S76	2	"5463768".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:27
S82	0	(network) near5 (error event fault alarm status) near5 (log) same (historic$5) same (common similar$5) same (cause source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:11
S83	849	(network) near5 (error event fault alarm status) near5 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:07
S81	0	(network) near5 (error event fault alarm status) near5 (log) same (historic$5) near4 (common similar$5) near5 (cause source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:06

S80	0	(network) near5 (error event fault alarm status) near5 (log) and (creat$5 generat$5) near5 (historic$5) near4 (common similar$5) near5 (cause source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:06
S79	0	(network) near5 (error event fault alarm status) near5 (log) same (creat$5 generat$5) near5 (historic$5) near4 (common similar$5) near5 (cause source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:06
S78	0	(network) near5 (error event fault) near5 (log) same (creat$5 generat$5) near5 (historic$5) near4 (common similar$5) near5 (cause source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:06
S77	4	("5036514" | "5119377" | "5127012" | "5239547").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 09:01
S75	64	"5463768"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:01
S74	4	plexis with EDI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:58
S72	4	plexis with toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:58
S71	4	plexis near3 toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:58
S70	4	plexis near3 EDI near3 toolkit	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 08:25
S69	4	EDI near3 toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:25

S65	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/13 08:20
S64	51	(level hierarch$5) near5 (network) near5 (event) near5 (log list record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:03
S63	38	(level hierarch$5) near5 (network) near5 (error status fault) near5 (log list record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:03
S61	1167	(level hierarch$5) near5 (error event fault) near5 (log list record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 08:01
S12	5	(((predefined prescribed) near4 (level hierarch$5) near5 (error event fault)) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:58
S60	2	"6816576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:53
S59	1	(generat$5) near4 (further near3 log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:52
S58	0	((error event fault) near5 (log list record)) same (further near3 log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:52
S57	2	"6493755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:14
S56	27	key adj off same network same device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 08:30

S55	3016	key adj off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 08:29
S54	0	"0959398" adj EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 08:27
S53	450	"0959398" adj November "1999" adj EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 07:49
S52	4234	"0959398" same November "1999" same EP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 07:48
S51	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN. OR ("6816576").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/25 07:47
S50	43	"379"/$.ccls. and (network) same status near6 (logs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 07:36
S48	106	(network) near4 status near6 (logs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/25 07:33
S49	2	"6493755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 17:08
S35	2	"6298119".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 17:08

EAST Search History

S47	1	(associat$5) near4 (network) near4 status near6 (logs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:17
S46	2	"6505256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:13
S45	17	(network) near5 (device)near5 (status) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:48
S44	0	(composit$5) near4 (network) near5 (device)near5 (status) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:47
S43	0	(root near4 cause) near4 (network) near5 (status) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:46
S42	0	(root near4 cause) near4 (network) near5 (error fault) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:02
S41	5	(root near4 cause) near4(error fault) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:01
S40	1	(group) near4 (device) near4 (error fault) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:59
S39	1	(group) near4 (device) near4 (status) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:57
S38	0	(categori$5) near4 (device) near4 (status) near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:56

S33	8	(categori$5) near4 (device) near4 (status) and (rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:55
S37	2	"6424636".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:53
S36	2	"4972453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:53
S34	2	"6298113".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:41
S31	2	"6445774".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:40
S32	2	"6690274".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:36
S24	2	"5634008".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:31
S30	15	("4503535" | "5331642" | "5339261" | "5404503" | "5539877" | "5664093" | "5675724" | "5832195" | "5920622" | "5941992" | "6205561" | "6205562" | "6219805" | "6324162" | "6327669").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/24 13:32
S29	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/24 13:25
S28	9	("20030135786" | "4866635" | "4954964" | "5067099" | "5107500" | "5566092" | "5793933" | "6049792" | "6760639").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/24 13:20

S27	215	(error event fault)near5 (log list record) near4 (tree hierarch$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:59
S26	2	"5063523".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:49
S25	2	"5440688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:48
S23	2	"6654914".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 12:46
S22	2	"5822302".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:24
S20	7	(network near3 device) and (higher near3 level) same (lower near3 level) same(status error fault)near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:16
S19	259	(network near3 device) and (higher near3 level) and (lower near3 level) and (status error fault)near4 (log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 11:05
S16	813	(network near3 device) and (status near4 (log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:59
S18	0	(network near3 device) and ((combin$5) near4 (status) near4 (log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:52
S17	11	(network near3 device) and ((level hierarch$5 combin$5) near4 (status) near4 (log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 10:52

EAST Search History

S15	52	S13 and ((level hierarch$5) near5 (error event fault) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:59
S14	0	S13 and (((predefined prescribed) near4 (level hierarch$5) near5 (error event fault)) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:59
S13	11941	709/220,221,222,223,224,225,226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:58
S11	311	(((predefined prescribed) near4 (error event fault)) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:31
S3	10	S1 and (((predefined prescribed) near4 (error event fault)) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:04
S10	2	("5615359" | "6167448").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 11:00
S9	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 10:14
S8	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 10:13
S7	1	"6816576".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 10:13
S6	8	("4456788" | "4972453" | "5295244" | "6032184" | "6298119" | "6353902" | "6445774" | "6690274").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 10:13
S5	4	(plexis near3 EDI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:09

EAST Search History

S4	2	"5872931".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 12:06
S2	1292	S1 and ((error event fault) near5 (log list record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 12:02
S1	9239	709/220,221,222,223,224,225,226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 12:01

IEEE Xplore®
RELEASE 2.4

Welcome United States Patent and Trademark Office

□ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((((network)<in>metadata) <and> ((status logs)<in>metadata))<and> ((hier..."
Your search matched **0** of **1715275** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application
Notes
POWERED BY
GLOBALSPEC

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

| ((((network)<in>metadata) <and> ((status logs)<in>metadata))<and> ((hierarchichy | Search |

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

| **IEEE/IET** | **Books** | **Educational Courses** | A |

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

⌐ view selected items   **Select All Deselect All**

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Help   Contact Us

Copyright 2C

Indexed by
Inspec°

IEEE Xplore RELEASE 2.4

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((('higher level log')<in>metadata) <and> (('lower level log')<in>metadata ..."
Your search matched **0** of **1715275** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application Notes
POWERED BY
GLOBALSPEC

Modify Search

((((('higher level log')<in>metadata) <and> (('lower level log')<in>metadata))) <and> | Search

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

» **Search Options**

View Session History

New Search

| **IEEE/IET** | **Books** | **Educational Courses** | A |

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

» **Key**

⌐ view selected items   **Select All Deselect All**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Help   Contact Us

© Copyright 2C

Indexed by
Inspec

PORTAL
USPTO

Search: ⦿ The ACM Digital Library   ⟲ The Guide

+"higher level log" "lower level log"

THE ACM DIGITAL LIBRARY

⚡ Feedback Report a problem Satisfaction survey

Published before April 2000
Terms used: **higher level log lower level log**

Found **2** of **112,129**

Sort results by [relevance ▼]

Display results [expanded form ▼]

📖 Save results to a Binder
❓ Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 2 of 2

Relevance scale ☐ ⊟ ⊟ ■ ■

1 Principles and realization strategies of multilevel transaction management   ☐

Gerhard Weikum
March 1991 **ACM Transactions on Database Systems (TODS)**, Volume 16 Issue 1
Publisher: ACM Press

Full text available: 📄 pdf(3.72 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

One of the demands of database system transaction management is to achieve a high degree of concurrency by taking into consideration the semantics of high-level operations. On the other hand, the implementation of such operations must pay attention to conflicts on the storage representation levels below. To meet these requirements in a layered architecture, we propose a multilevel transaction management utilizing layer-specific semantics. Based on the theoretical notion of multilevel serial ...

Keywords: atomicity persistence concurrency control, multilevel transactions, persistence, serializability

2 Architecture and implementation of the Darmstadt database kernel system   ☐

H. B. Paul, H. J. Schek, M. H. Scholl
December 1987 **ACM SIGMOD Record , Proceedings of the 1987 ACM SIGMOD international conference on Management of data SIGMOD '87**, Volume 16 Issue 3
Publisher: ACM Press

Full text available: 📄 pdf(1.33 MB)   Additional Information: full citation, abstract, references, citings, index terms

The multi-layered architecture of the DArmStadt Data Base System (DASDBS) for advanced applications is introduced DASDBS is conceived as a family of application-specific database systems on top of a common database kernel system. The main design problem considered here is, What features are common enough to be integrated into the kernel and what features are rather application-specific? Kernel features must be simple enough to be efficiently implemented and to serve a broad class of clients ...

Results 1 - 2 of 2

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Player

PORTAL
USPTO

Search: ⊙ The ACM Digital Library   ⊂ The Guide

+"higher level log" +network "lower level log"   [Search]

THE ACM DIGITAL LIBRARY

⊙ᶜ Feedback Report a problem Satisfaction survey

Published before April 2000
Terms used: **higher level log network lower level log**

Found **1** of **112,129**

Sort results by	relevance ▼	● Save results to a Binder
Display results	expanded form ▼	? Search Tips
		☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale ☐ ▭ ▬ ■ ■

1 Architecture and implementation of the Darmstadt database kernel system   ☐
H. B. Paul, H. J. Schek, M. H. Scholl
December 1987 **ACM SIGMOD Record , Proceedings of the 1987 ACM SIGMOD international conference on Management of data SIGMOD '87**, Volume 16 Issue 3
Publisher: ACM Press

Full text available: 🅰 pdf(1.33 MB)   Additional Information: full citation, abstract, references, citings, index terms

The multi-layered architecture of the DArmStadt Data Base System (DASDBS) for advanced applications is introduced DASDBS is conceived as a family of application-specific database systems on top of a common database kernel system. The main design problem considered here is, What features are common enough to be integrated into the kernel and what features are rather application-specific? Kernel features must be simple enough to be efficiently implemented and to serve a broad class of clients ...

Results 1 - 1 of 1

Useful downloads: 🅰 Adobe Acrobat   ◎ QuickTime   🎞 Windows Media Player   ⓒ Real Player